

Message

---

**From:** Schmittdiel, Paula [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=0EC9C256420E48469663FF21FBC6A06F-SCHMITTDIEL, PAULA]  
**Sent:** 3/27/2013 6:21:27 PM  
**To:** Hanley, Jim [Hanley.James@epa.gov]  
**Subject:** FW: High Street Storm project  
**Attachments:** CTL\_PhaseII.pdf

Another investigation report by CTL Thompson. Hard copies of maps are in the packet on your desk.

Paula Schmittdiel  
Remedial Project Manager  
U.S. Environmental Protection Agency  
1595 Wynkoop St.  
Denver, CO 80202  
Office: 303-312-6861  
Cell: 720-951-0795

---

**From:** Paula Schmittdiel [mailto:Schmittdiel.Paula@epamail.epa.gov]  
**Sent:** Monday, March 25, 2013 2:36 PM  
**To:** Schmittdiel, Paula  
**Subject:** Fw: High Street Storm project

Paula Schmittdiel  
Remedial Project Manager  
U.S. Environmental Protection Agency  
1595 Wynkoop St.  
Denver, Co 80202  
303-312-6861 (office)  
303-312-7151 (fax)  
720-951-0795 (cell)

----- Forwarded by Paula Schmittdiel/R8/USEPA/US on 03/25/2013 02:35 PM -----


From: "Farrell, Lisa - Environmental Health" <Lisa.Farrell@denvergov.org>  
To: Paula Schmittdiel/R8/USEPA/US@EPA  
Date: 11/20/2012 09:44 AM  
Subject: High Street Storm project

---

Good morning, Paula! Thank you for reviewing my summary of the sampling performed in anticipation of the subject project. You requested a copy of the Phase II and the Geotech report. I will attempt to email these to you. Attached, please find the Phase II. I will send the geotech in a separate email. Have a fabulous Thanksgiving!!! ☺



**Lisa Farrell**  
**Environmental Chemist**  
City & County of Denver | Department of Environmental Health | Environmental Quality Division  
200 West 14th Avenue | Suite 310 | Denver | Colorado | 80204  
720.865.5439 Phone | 720.865.5534 Fax  
[lisa.farrell@denvergov.org](mailto:lisa.farrell@denvergov.org) | [Dial 3-1-1 for City Services](tel:311)



*(See attached file: CTL\_PhaseII.pdf)*